

PRODUCT DATA
KIT

CUSTOMER
FC MERCHANDISE

SUPPLIER
HERCULES MERCHANDISE



DESIGN
13.

13.1



Please provide your Pantone colour references before production begins. If you do not have specific colour codes, we will base the colours on those in your file. Please note that we cannot guarantee an exact reproduction of a Pantone colour due to various factors, but we will do our best to achieve the most accurate result possible. A print test will be carried out for approval. Once this test is approved, no further colour changes will be possible.



PRODUCT DATA
KIT

CUSTOMER
FC MERCHANDISE

SUPPLIER
HERCULES MERCHANDISE



DESIGN
13.

13.2



Please provide your Pantone colour references before production begins. If you do not have specific colour codes, we will base the colours on those in your file. Please note that we cannot guarantee an exact reproduction of a Pantone colour due to various factors, but we will do our best to achieve the most accurate result possible. A print test will be carried out for approval. Once this test is approved, no further colour changes will be possible.



PRODUCT DATA
KIT

CUSTOMER
FC MERCHANDISE

SUPPLIER
HERCULES MERCHANDISE



DESIGN
13.

13.3



Please provide your Pantone colour references before production begins. If you do not have specific colour codes, we will base the colours on those in your file. Please note that we cannot guarantee an exact reproduction of a Pantone colour due to various factors, but we will do our best to achieve the most accurate result possible. A print test will be carried out for approval. Once this test is approved, no further colour changes will be possible.



PRODUCT DATA
KIT

CUSTOMER
FC MERCHANDISE

SUPPLIER
HERCULES MERCHANDISE



DESIGN
13.

13.4



Please provide your Pantone colour references before production begins. If you do not have specific colour codes, we will base the colours on those in your file. Please note that we cannot guarantee an exact reproduction of a Pantone colour due to various factors, but we will do our best to achieve the most accurate result possible. A print test will be carried out for approval. Once this test is approved, no further colour changes will be possible.

